


SECURITY **TECHNOLOGY** CONFIDENCE **EXPERIENCE** QUALITY **SERVICE**








Security and efficiency in access management




P.I. Empresarium C/ Retama, 20-22, Naves 15 y 16 50720 - Zaragoza (Spain) **T +34 976 107 201** info@omnitecsvstems.com

www.omnitecsystems.com

















think forward

The quality that ensures your customer satisfaction

OMNITEC SYSTEMS has accumulated an experience of more than 25 years developing, manufacturing and commercializing Electronic Locks, Safes and Minibars. Today, OMNITEC is one of the most recognized brands in the HOSPITALITY sector, with a guarantee of quality and service on the 5 continents.

A highly specialized team in all areas and a totally market-oriented focus have made it possible for **OMNITEC SYSTEMS** to develop solutions for security and comfort. By connecting this team with the logistics centres in Europe, America and Asia, today we are able to be present in more than 10,000 hotels around the world, including the most prestigious international hotel chains.

Leaps in quality and specialization do not occur by chance. Recent investments in R+D, guaranteed by our knowledge of the market, have led to **OMNITEC SYSTEMS** being at the forefront of the sector today.

OMNITEC locks and access control for hotels are the result of our company's specialization and orientation in a single direction - the hotel. Today, our name is synonymous with quality, reliability, security and service, with the best quality/cost ratio on the market.

for managing access control

The **OMNITEC** range of locks and access control systems guarantees the levels of security, both mechanically and electronically, required in hotels and the hospitality sector. Establishments that secure access with **OMNITEC** devices make their guests feel at home.









Design technology and innovation converge in EVO to provide an electronic hotel lock of high-performance. EVO incorporates an innovative access control technology, developed by OMNITEC, which allows hotels to implement an unprecedented level of security and control.



- Minimalist, thanks to its avant-garde and innovative design.
- Customisable Design, designed for new doors, with a configuration allowing a free choice of handle, with all mechanisms, electronics and batteries installed hidden inside the door, a reader and customisable keyholes.
- Unlimited Audit Trail, openings, opening attempts, exits, etc. Audit synchronized with the front desk PC.
- Bluetooth, for guest openings, setting up, management and maintenance of the lock.
- On-Line, remote opening and management by including Gateways in the installation.
- Control, installing in a room the EVO lock, the EXO safe and the Gateway allows remote management and control of both devices.

INNOVATION

Its minimalist and customizable design, and the opening and management via APP, make EVO a lock with unprecedented features

customize the lock design



features

- System of opening with Smartphone via Bluetooth and MIFARE proximity.
- Option to open and manage online by installing Gateways.
- Electronics integrated into the door, without antennas or external connectors exposed to undesired tampering.
- Closing with a latch and privacy activated by a knob.
- Guaranteed operation in the most adverse climatological environments. Stainless steel AISI 304 manufactured. IP 56.
- Visual and acoustic indicators to facilitate their use by disabled persons, as well as for additional functionalities such as low battery warnings to personnel, privacy indicator, etc.
- Mortise with silent latch, anti-card device and anti-panic function.
- Hidden mechanical cylinder, for auditable emergency openings. • Single app for administrator, hotel staff and guests. UpKey allows different functionalities according to the registered user profile.
- The guest is automatically logged into the app via a link created by the hotel which the guest receives in an email.
- Customised app option and integration with third parties.







electronic lock OS SLIM I CODE

The OS SLIM electronic lock stands out for its slim design with narrow escutcheons that give the door and the room a plus of style and elegance.

Opening by proximity, numerical code, Bluetooth and remote online

DESIGN

CORRIDOR

ROOM

Lock with slim design escutcheon, straight lines, narrow profile and minimalist concept







38 x 300 mm



Inox, Black Edition Gold, Bronze



Stainless steel AISI 304 or 316 IP54 Optional

- Design, slim profile escutcheon, with narrow and straight lines for a minimalist aesthetic.
- Bluetooth, for guest openings, setting up, management and maintenance of the lock.
- On-Line, remote opening and management by including Gateways in the installation.
- Unlimited Audit Trail, openings, opening attempts, exits, etc. Audit synchronized with the front desk PC.
- Control, installing in a room the OS SLIM lock, the EXO safe and the Gateway allows remote management and control of both devices. Compatible with the GUEST-PRESENCE security function of the EXO safe.








features

- Opening via Bluetooth, MiFare proximity, and numerical code (in OS SLIM CODE model).
- Option to open and manage online by installing Gateways.
- Code and Electronic Key with validity adapted to the reservation type: temporary, by time slot, for a single opening, permanent or cyclical.
- Escutcheon with adaptable handle, for doors of left or right opening.
- PVD (Phase Vapour Deposition) lacquered colors, with greater resistance to abrasion and corrosion.
- Guaranteed operation in the most adverse climatological environments. Stainless steel AISI 304 or AISI 316 manufactured. IP54 optional.
- Electromechanical privacy function with exterior visual indicator to prevent entries of unauthorized persons.
- Hidden mechanical cylinder, for auditable emergency openings, and micro USB type C connector for power in case of depleted batteries. Both hidden and protected with a rubber cap.
- Visual and acoustic indicators to facilitate their use by disabled persons, as well as for additional functionalities such as low battery warnings to personnel, privacy indicator, etc.
- Single app for administrator, hotel staff and guests. UpKey allows different functionalities according to the registered user profile.
- The guest is automatically logged into the app via a link created by the hotel, which the guest receives in an email.
- Customised app option and integration with third parties.

connectivity



Remote opening & management, including Gateways in the installation



A SOLUTION FOR EVERY NEED













electronic locks

Solutions for hotels of all types

As a result of the experience applied to electronic locks, **OMNITEC** makes these lock models with proximity opening available for hotels.

GAUDI

ELECTRONIC LOCKS

Reliable, robust and easy to install. Specially designed for Hotels, Offices and Residences, GAUDI integrates all security features into a single reliable and efficient device.

The electronic lock with the best quality/price ratio on the market.



- MiFare proximity opening.
- Free Turn: the lever operates freely but only unlocks the door when a valid card is shown
- Mortise with silent latch and anti-card device, to prevent forced entry.

FIT-IN

Upgrading from keys, magnetic band, chip or RFID locks is quick and easy with **FIT-IN** lock.

Maintaining the existing door locks, FIT-IN adapts to its installation and provides the convenience and security of MiFare electronic locks.



- MiFare proximity opening.
- FIT-IN lets you replace magnetic card, chip or RFID locks while retaining the existing door lock.

features

- System of opening with MIFARE proximity card 13.56 Mhz
- Anti-panic function to guarantee emergency exits
- Guaranteed operation in the most adverse climatological environments, thanks to its manufacture of stainless steel AISI 304 and its tropicalized electronics
- Visual and acoustic indicators to facilitate their use by disabled persons, as well as for additional functionalities such as low battery warnings to personnel, privacy indicator, etc.
- Electromechanical privacy function with exterior visual indicator to prevent entries of unauthorized persons
- Includes non-volatile EPROM which even when batteries are changed, allows the conservation of the last 400 openings, with information of user, date and time
- Hidden mechanical cylinder, for auditable emergency openings
- Operates with 4 standard AA batteries with duration of up to 20,000 openings
- Configuration and auditing of the locks with wireless control unit
- GAUDI with EURO mortise as standard. ANSI mortise available with fixed handle

FIT-IN SYSTEM

The lock that adapts.

With the incorporation of a new system of plates and levers, **OMNITEC** makes it possible to maintain existing mortise locks and enjoy all the functionalities of the proximity electronic lock.

FIT-IN complements the traditional key system, equipping it with proximity access control functions. It likewise allows updating of the obsolete and insecure magnetic band, chip or RFID systems.







X-RP2 electronic cylinder

The **OMNITEC** Electronic Cylinder is the best option for modernizing doors with mechanical lock, which gives a modern and state-of-the-art dimension to the room, whether hotel or office. **OMNITEC's** X-RP2 is a quick-installation electronic cylinder, without needing to modify the door. X-RP2 allows opening with a smartphone via Bluetooth, a proximity card, remotely through connectivity via a gateway, and with numeric code, associating it to a FreePad keyboard.



features

ELECTRONIC CYLINDER

- European profile cylinder lock, simplifies and speeds up installation.
- Start-up settings via mobile app. Event audit and battery management via mobile app and remotely.
- Connectivity via gateway for online functions.
- Cylinder extendable in increments of 5 and 10 mm, up to 62.5 + 62.5 mm. Fits doors of 35-100 mm thickness.
- Operated by 2 CR2 lithium batteries, with a useful life of over 30,000 cycles.
- When changing the batteries, the cylinder lock does not have to be removed.
- Low battery alert and easy battery change.
- Very wide range of working temperatures: -25°C to 65°C.
- Protection class IP65.
- Anti-drill and anti-snap protection (reinforced bridge).

opening options

- Opening via MiFare proximity and via Bluetooth as standard.
- Numeric code: associating the electronic cylinder to a FreePad keyboard.
- Remotely: by online connectivity via a gateway

wireless keypad FreePad

Wireless keypad for linking to Bluetooth devices without a built-in keypad.

Keypad for opening electronic cylinder locks, access controls and Bluetooth locks by numerical code.

FreePad is an additional wireless keypad, so you can open Bluetooth devices with a numerical code without having an integrated keypad.

The FreePad keypad provides pin code opening for the X-RP2 electronic cylinder, the Opak access control and all the bluetooth locks for doors and lockers.

Keypad with standalone configuration, no wires or installation required, beyond attaching it to the wall.

To combat vandalism or theft of the keypad, the **OMNITEC** system lets you associate another keypad to the device to continue the operation without affecting the access codes of quests or staff.





security

- Vandal-resistant device: tampering with cables or the FreePad keypad PCB does not open the linked device
- 1-to-1 link: one keypad for one device
- Anti-spy numerical code: supports up to 16 digits, including the opening code

features

|--|

• Dimensions: 96 x 68 x 30 mm







• Connectivity: Bluetooth • Power: 4 x AAA batteries





Access Controls

OMNITEC offers a range of access controls, for indoor or outdoor use, that are easy to install, with the possibility of providing them with online functionalities to increase users' security and control.



MINI MODEL

Discreet, elegant and functional

MiFare card reader and control unit integrated into a single device of easy installation.

Its size and design allow it to be integrated into any hotel environment, and control both main doors and areas with restricted access to quests.

• Dimensions: 110 x 42 x 22 mm



ANTI-VANDALISM MODEL

The **OMNITEC** wall reader Anti-Vandalism access control **is a guarantee of maximum** security in access control. With the independent reader unit and control unit, undesired entries are prevented, due to the impossibility of tampering with the controller.

The additional security is provided by the location of the access control unit, which is installed in a controlled zone by own personnel, distant from the reader unit. With this structure, no one from outside the hotel or the company can tamper with the control unit.

A control unit manages 2 relays with 2 wall readers by relay simultaneously and has a 12V battery integrated to guarantee the continuity of operation of the system in the event of possible electrical power cuts.

• Dimensions: 111 x 93 x 40 mm



INUP MODEL

Access control and access permission revalidator.

Reads and updates any MiFare proximity device, such as a card, key chain or bracelet.

Its network cable connectivity means it can be installed in main access doors, for personnel access and changing rooms, for example, by managing access credential updates for each user.

In the same operation, users access the restricted area and update their access permissions.

- Front section in high impact resistance polycarbonate.
- IP65 certificate
- Dimensions: 76 x 121 x 51 mm



DIGIT MODEL

Range of access controls with opening by numeric keypad, proximity card, Bluetooth and online, for doors with an electronic latch, garage doors and parking barriers, for example.

In hotels with EVO, SLIM or GAUDI BLE locks, guests can access direct to their room via their Smartphone or by using a PIN code.

- 2 models with different opening modes:
- Proximity card, Bluetooth or online, connected via Gateway.
- 1 output relay
- Dimensions: 124 x 78 x 16 mm

OPAK MODEL



Access control with Bluetooth and online opening to control doors equipped with an electrical latch, garages, turnstiles, automatic gates and front doors connecting the device to the automatic entry system.

- Opening via Bluetooth and online
- 1 output relay
- Dimensions: 63 x 32 x 22 mm

LIFT CONTROL MODEL

The **OMNITEC** lift access control has been designed to integrate into the management panels of the lift and increase the security of your hotel.

With the lift control, the quest can only access where you have granted him permissions on the MiFare card or on the Bluetooth e-key. With the pertinent credentials, the hotel will be able to limit the general use of the lift or even limit access to specific floors. With a modern and minimized design, it is installed with minimal intervention in the lift panel.

• Dimensions: 60 x 80 x 7,5 mm



- PIN code, proximity card, Bluetooth and online, connected via Gateway

Its small size means it goes unnoticed and allows it to be installed in hidden or inaccessible areas so as not to demonstrate the presence of the automation devices.



GATEWAY ON-LINE connectivity

The **OMNITEC** Gateway converts Bluetooth electronic locks and Bluetooth access controls into online devices.

operation

The online OMNITEC system operates by double connectivity: Bluetooth and WiFi / PoE / 4G.

$Devices \rightarrow Administrator$

Electronic locks and access controls send the information via Bluetooth to the Gateway. The Gateway, through a network with internet connection, sends all the information received to the server to make it available for the administrator.

Administrator \rightarrow Devices


The online functions the administrator executes remotely from their PC or Smartphone are transmitted from the server to the Gateway via Wi-Fi, and channelled via Bluetooth to the locks, access controls and safes.

When the administrator Smartphone and the lock or access control to be managed are within the Bluetooth range, they communicate directly via Bluetooth and transmit the information without using the Gateway or Wi-Fi.

To implement an online system, a Wi-Fi network, locks, access controls and/or safes with Bluetooth connectivity from **OMNITEC** are essential.

on-line functions

- Audit trail
- Remote opening from Front-Desk or via administrator smartphone
- Battery level control
- Access credential management
- Date / Time update





0

GATEWAY WiFi

With an online connection via Wi-Fi, the locks and access controls transfer the recorded events to the Cloud, through the Gateway, and devices can be managed remotely.

features

- Bluetooth range: up to 10m
- Network: 2.4G Wi-Fi
- IEEE standard: 802.11 b/g/n

GATEWAY PoE

The Gateway PoE shares all the functions and operational ability of the Gateway WiFi. In this model there is a different method of connection with the router, which connects via a RJ45 cable.

The cable provides network connection and electric power to the gateway, allowing simpler and stabler installations. Requires the router/server to be PoE in order to supply power to the gateway.

features

- Bluetooth range: up to 10m
 - Network: Ethernet-RJ45
 - Connection: USB Type C

GATEWAY 4G

Designed for premises in remote areas without a router/server connection. The 4G Gateway uses a SIM card to communicate with a server via 4G connection to send all the information from locks in real time.

features

- Bluetooth range: up to 10m
- Network: 4G
- Connection: Micro USB





- Connection: USB Type C
- Power: 5V/500mA DC
- Dimensions: 70 x 104 x 18 mm

- Power: 5V/500mA DC
- Dimensions: 70 x 70 x 26 mm

- Power: 5V/500mA DC
- Dimensions: 110 x 110 x 36 mm



locks for Lockers

OMNITEC offers a simple, practical and secure locker management system with the range of electronic locks.

OMNITEC electronic locks for lockers are the ideal solution for keeping the belongings of users and employees of health centers, spas, gyms, sports centers, education centers, company dressing rooms, etc. as well as in the usually shared room closets of hostels.



LOCKERFY

Electronic lock for lockers with Bluetooth, proximity card and code opening.

Electronic lock for lockers, drawers and furniture.

Simple and fast installation in lockers, cabinets, drawers, etc. Suitable for installation on all types of materials.

Online connexion through Gateway, allows the administrator to manage users, openings log audit and remote opening from its Smartphone.

Two different modes of operation:

- Auto-closing, with programmable closing time.

- Open mode: the user closes the lock with their bluetooth electronic key, code or card.

- Distinguish between 2 user modes:
- Owner: for lockers exclusively used by one person.
- Allocation: the user uses the free lockers that are available at any given time. 1 card can close only 1 locker.

Programmable automatic opening at a certain time.

Opening alarm: alarm sounds and lights up when forced to open.



E-LOCKER STYLE

Integration with **OMNITEC** locks, **the same MiFare card for the room and the locker**.

Fast installation in lockers and cabinets made from wood, sheet metal, plastic, phenolic, etc.

Modern, easy and intuitive design for the user. Integrated handle for easier use of the locker.

Allocation: the user uses the free lockers that are available at any given time.

Energy savers

One of the priorities of **OMNITEC** is its commitment to the environment and to contributing to saving energy in hotels, apart-hotels, residences, universities, public buildings, offices, etc.. The OMNITEC energy savers are devices that allow up to 60% of the electrical consumption of the buildings where they are installed to be saved.

....

BUILT-IN ENERGY SAVER

Simple: activated with any card. MiFare: operates exclusively with MiFare cards, without reading credentials.

SMART ENERGY SAVER

Its two relays are activated, or not, depending on the guest or service credentials.

WIRELESS ENERGY SAVER



Wireless energy savers work in conjunction with the wireless motion, door and window sensors in those facilities where the room is accessed via Smartphone; with all-inclusive wristband, key ring, card, etc. Wireless energy saver is designed for installation on a DIN rail. The device is integrated into the lighting panel, simplifying its installation and without interfering with the aesthetics of the room.

features

- Recessed and surface models
- LED indicator
- Available in different colours
- Courtesy light 10 to 30 seconds
- Allows work with automated systems, energy management systems and lighting controls
- Current: 16 A

For more detailed information, see our Energy Savings and Comfort catalogue.











management software

OMNITEC has developed different management systems to meet the needs of any hotel and simplify the management and control of access credentials for guests and internal and external personnel.

OMNITEC software acts as the backbone in the integrated access plan for hotels, tourist accommodation, residences and the hospitality sector.

OS ACCESS software

OS ACCESS is the most innovative development by OMNITEC that meets the most demanding technical requirements of hotels and can optimise the management of hotel access credentials and security for MiFare proximity, numeric code and Bluetooth devices.

Designed to work in the Cloud from a web browser, **OS ACCESS** also offers a desktop version for a local network.



Opening Alerts

access to the different rooms via Smartphone.

Hotel guests receive their keys on their Smartphone and can access the room and the rest of the permitted areas using their own phone.

CLOUD server



browser without the need to install additional software on their PCs. Accessibility, security and efficiency in managing access to your hotel.

Remote Management



Performing remote daily tasks such as managing guest and employee credentials, opening records, maintenance and emergency openings are possible through connectivity via Gateways.

Staff Credentials

Establishing employee profiles streamlines and minimises the management of the hotel's access plan.

Permission changes are updated for all profile members.

Specific access permissions are granted for users who do not fit into any profile.

MiFare cards, numeric codes and Bluetooth keys can be created quickly to streamline the guest check-in process.

OMNI UX

Fast Check-In



experience in mind.



The OS ACCESS software is complemented by the UpKey app, used by hotel staff for the installation and management of Bluetooth locks and devices, as well as for

> Configures your push notifications for openings and attempted openings of certain locks or devices equipped with Bluetooth.

Online security and access control with special restrictions.

Quick procedure for creating guest cards with just 2 pieces of data.

Modern design with an intuitive interface, made especially with the user


OS ACCESS OMNI UX usability allows the hotel to save time in its processes and personnel training.







Cloud Server ADVANTAGES



features

- Access by browser optimises the availability, security and efficiency of the system
- Encrypted data recording on identification media
- Multi-user license valid for use under a Windows environment
- Secure SQL database notably increasing security and providing secure access for remote technical assistance
- Integration with any PMS on the market (Opera, Prestige, etc.), and with room management systems
- Uniquely coded card encoding per installation or group of installations, limiting the use of cards that are not coded by the authorized devices
- Different levels of access for different system users
- MOTEL Option, limiting the use of the lock by hours
- Scalable: the platform gradually adjusts to the facilities, depending on the size of the access plan, the diversity of installed devices and user profiles. Users manage only those functionalities required in their facilities, allowing them to optimise their daily work

VANGUARD

Maximum operability and efficiency for hotels, guests and employees





The incorporation of the **OMNITEC** Gateway into the hotel infrastructure converts Bluetooth electronic locks into online devices.

Having an online connection, the Bluetooth locks, safes, cylinders, access controls, etc. transfer all recorded events to the Cloud and can be managed remotely.

features

- Online Audit Trail
- Remote opening from Front-Desk or via • Date / Time update administrator smartphone • Opening alerts
- Battery level control



• Access credential management





🗒 UрКеу арр

The OMNITEC UpKey app works in addition to the Os Access software in hotel access management.

UpKey turns your Smartphone into an access key, programmer command for installation and maintenance, and a remote integrated management platform for the access plan.

The combination of **Os Access** software, **UpKey** app and Gateways gives the hotel a multitude of possibilities in managing the access plan, both in person and remotely, and provides an immediate response under any circumstances.

absolute control and management

For safer access management at the hotel, **UpKey** works under 3 user profiles:

Guest

You can access your room, garage, spa, etc. and open the safe with your Smartphone after receiving the corresponding eKeys.

Employee

You have access credentials for you to open and perform daily maintenance on all devices for which you have active credentials.

Once the commissioning of the facility is complete, control of locks, access control and safes are transferred to the administrator.

Administrator

For full control of the hotel's access plan; controls and manages all devices and access credentials for the entire facility, for both employees and guests.




CONNECTIVITY

Ongoing control of the access plan from anywhere



administration main functions





codes





Manage eKeys Manages and cancels active eKeys

Delete device


Unlinks the user's

installation mode

device and puts it into



Open Remotely Remote opening through Gateway.





Updates the device date

Create Code Establishes and sends numerical opening

Manage Codes Manages and cancels numerical codes

Synchronise codes Updates active code credentials on a device

Wireless Keypad Pair a wireless keypad to the Bluetooth device



Restore Settings Update the software configuration to the lock



Create Card Sends the proximity card credentials to the device



Manage Cards Manages and cancels active proximity cards



Passage Mode Set the opening and autoclosing time. In that time frame, it keeps open fixed



Set Meeting Mode Cancel the auto-close time. Opening and closing from the APP





SMARTPASS software

At **OMNITEC**, we have developed **SMARTPASS** software to manage electronic proximity locks, access control and energy savers. Management with the **SMARTPASS** software is complemented by the wireless programming controller and MiFare programming cards. SMARTPASS was designed to meet the needs and demands of any type of hotel establishment, guaranteeing internal security and control.



IDENTIFICATION TECHNOLOGY

MIFARE PROXIMITY (13.56 Mhz)

OMNITEC locks use the **MIFARE** (13.56 Mhz) identification system, the most widely-used, and at the same time, the most secure technology, allowing very simple and quick integration with other market applications.

The medium on which the access credential is held can have multiple formats, and always adapted to the needs of the hotel: cards, key holders, bracelets, all-inclusive bracelets, etc. These can all be carried openly and don't confine the user, which finally translates into significant cost savings.

SECURITY I CONTROL I PEACE OF MIND

SMARTPASS SOFTWARE

Of the different systems that SMARTPASS encompasses, the most common one and with highest level of implementation at the international level is the management software, which offers:

- Encrypted recording of data on identification supports
- Multi-user license valid for use under a Windows environment
- Secure SQL database, notably increasing security and providing secure access for remote technical assistance. Optional installation on **OMNITEC** Server
- Compatible with any PMS on the market (Opera, Prestige, etc.)
- Uniquely coded card encoding per installation or group of installations, limiting the use of cards that are not coded by the authorized devices
- Different levels of access for different system users
- Management and control of guests and employees access
- BackUp System in order to issue new credentials for new quests in case of computer problems
- HOSTEL Option, for shared use of rooms by different quests, with independent check-in and check-out dates
- MOTEL Option, limiting the use of the lock by hours
- Direct access to the online assistance website
- **REVALIDATOR:** our system is capable of managing credentials by the hour or day/s. After the speeding up and securing the process and the security of the hotel to the ulmost





indicated period, it is necessary to revalidate their user permissions with the OMNITEC Revalidator in order for the card to continue to be operational. The device can be installed in a door or controlled passage by which, at the same time it revalidates the user permissions, it grants access to the user,







•••	
RENT	
PASS	

Rent & Pass app

The OMNITEC Rent & Pass app has been developed for access management in all establishments that do not require server software such as **Os Access** or **SmartPass**, owing to their size.

Small hotels, hotels without a 24-hour Reception, rural tourism accommodation, boutique hotels, etc. You will find the management and maintenance tool in Rent&Pass that best suits your business; offering remote management from a smartphone or tablet.





time, security and protection

app Rent & Pass PRO

Rent&Pass has a PRO version, developed for all those owners who want to carry out more advanced management in their establishments.

In addition to all the normal Rent&Pass functions, the PRO version incorporates:

- Check-In: For the registration of users/guests, with start/end times and dates, and a rapid assignment of devices for which credentials are granted.
- Calendar: Displays user credentials in a day/week calendar format with direct access to Check-In to expedite management tasks.
- Staff: For management of staff credentials. In addition to start/end times and date access management, staff can be given permanent access or classified according to their different user profiles and roles.

OPERATION

Y

0

0

\$


4

0

0

Locker 37 SPA

Convenience and simplicity when managing access to your hotel



security and control

Rent&Pass lets the owner and hotel staff send the quest electronic keys and numerical codes to access the hotel, the room, the garage and any other room equipped with an OMNITEC Bluetooth access control. With Rent&Pass you can cancel and delete Bluetooth keys and numeric codes at any time from the app with administration permissions.

Rent&Pass incorporates notifications to the hotel when the guest opens any device.

	guest
Receives the key and code on their smartphone	You can access the room and other room numeric code or wit Smartphone

simple procedures, satisfied guests

With Rent&Pass, your arrival time and unexpected delays no longer matter. Before starting their trip, guests receive the following on their Smartphone: electronic key and/or access codes for locks, access control for the main hotel entrance, as well as their room, garage and any other area equipped with an access control system.



END OF STAY

Sending electronic key and/or code to maintenance. cleaning or laundry personnel, for example

hotel, ns with a th your

The key and code expire on the date and time stipulated in their booking conditions

	MANAGEMENT			OPENING			
	os Access ပြpkey	Server	RENT PASS	CARD	*	CODE	
EVO	•		•	•	•		
- SLIM	•	•	•	•	•		
SLIM CODE	•	•	•	•	•	•	
GAUDI FIT-IN	•	•		•			
X-RP2	•		•	•	•		
	•	•		•			
ANTI-VANDALISM	•	•		•			
	•	•		•			
DIGIT	•	•	•	•	•	•	
OPAK	•	•	•		•		
	•	•	•	•	•		



International Experience



Design Hotel 11 Mirrors 5* Ukraine Catalonia Royal Tulum 5* Mexico Mercure Porte Versailles 4* France Sofitel Luxembourg Europe 5* Luxembourg Hotel Eden Ardenne 3* Belgium Barceló Torre de Madrid 4* Spain Sol Phu Quoc 4* Vietnam

(H

Zheneva Truskavets 5* Ukraine The Bocardo Hotel 5* United Kingdom Mainport Hotel 5* Nederland One Resort Monastir 4* Tunisia Finest Isla Mujeres 5* Mexico Hotel Wissal 4* Mauritania Hotel Colbert 4* Madagascar

REFERENCES