

SECURITY TECHNOLOGY RELIABILITY EXPERIENCE QUALITY SERVICE









Security and comfort in your hotel



50720 - Zaragoza (Spain) **T +34 976 107 201**

www.omnitecsystems.com









0	Saf
---	-----

Safes









think forward

Quality that guarantees customer satisfaction

OMNITEC SYSTEMS has accumulated an experience of more than 25 years developing, manufacturing and commercializing Electronic Locks, Safes and Minibars. Today, **OMNITEC** is one of the most recognized brands in the HOSPITALITY sector, with a guarantee of quality and service on the 5 continents.

A highly specialized team in all areas and a totally market-oriented focus have made it possible for **OMNITEC SYSTEMS** to develop solutions for security and comfort. By connecting this team with the logistics centres in Europe, America and Asia, today we are able to be present in more than 10,000 hotels around the world, including the most prestigious international hotel chains.

Leaps in quality and specialization do not occur by chance. A continuous investment in R+D, guaranteed by our knowledge of the market, has led to OMNITEC SYSTEMS being at the forefront of the sector.

We invite you to know the numerous options of **OMNITEC** safes and we are sure that among them, you will find the one that fits your needs, whatever they may be.

technologies to feel safe







Front Door •





Exo • Nobo • Safeguard

Different systems for opening and management for hotels of all categories, from the most technologically advanced to the most functional.

OMNITEC Safes



Sliding Front Top-opening

• Versatility: combining its formats, sizes and technologies, OMNITEC offers a wide range that will fit any installation. • Security: the use of tested quality materials guarantees the security and peace of mind that your guests deserve. • Customized finishes: the different accessories available allow you to configure the safe that best fits your hotel.



EXO model

Opening via Bluetooth, proximity and numerical code, plus Bluetooth management and maintenance; these are the identifying features of a safe with a high technological DNA.

CONNECTIVITY

Installation, management and maintenance via Bluetooth with a mobile app controlled by the administrator



Single-use random master code

The single-use random master code significantly improves the level of hotel security.

The app generates an emergency code that is used only once to open the safe it was created for.

OMNITEC, international partner for security and performance

general characteristics

A safe that guarantees the security of guests' property and gives you the extra convenience of being able to open it with your smartphone, RFID tag or personal numerical code.

available dimensions

m o d e l	dimensions height x width x depth		
pad	200 x 360 x 270 mm		
laptop 15	200 x 430 x 350 mm		
laptop 17	200 x 400 x 480 mm		
folder	200 x 430 x 400 mm		
avant 15	120 x 400 x 350 mm		
avant 17	120 x 400 x 480 mm		

standard features

- Motorized opening and closing, with 4 to 6 digit customer code, RFID tag and Bluetooth.
- Maintenance and management with Mobile APP: no limit to the number of events recorded, battery level check, set-up of the installation, generation of single use master code
- Self-locking GUEST-PRESENCE: in installations with the EXO safe and Omnitec and Gateway locks, the safe will only be activated when the room lock is opened by the guest. Whenever any other person enters the room, the safe remains desconnected
- EXO Bi-Master with two code modes: fixed programmable and random single-use opening
- Emergency opening via master code and hidden mechanical key
- Different types of codes and Bluetooth authorisations: temporary, single use, permanent and cyclic
- ADA keyboard for the visually impaired
- Low consumption LED interior lighting
- 110° wide opening hinge to insert belongings without risk of damaging them



OPENING Code | RFID | Bluetooth

attery level: 89% ock date: 12/12/22 - 11:34:50

 (\bigcirc)

optional accessories

- Interior multi-zone socket, with USB option
- Power supply, avoids the use of batteries and minimizes maintenance

specific project options



Change of dimensions

Change of colour, RAL chart

Left opening door





Hotel safe with top opening. The Avant Safe has been designed to fit into desktops or be installed hidden in a drawer.

Equipped with the EXO system, it offers the highest technological features.



general characteristics

An electronic safe built of carbon steel, with motorized top opening by code, Bluetooth and Proximity. The Avant model has a piston in the lid which have two functions: To open the lid with spring action once the customer has entered the combination, and to keep the lid open to prevent it from accidentally damaging objects or hurting users.

available dimensions

m o d e l	dimensions height x width x depth
avant 15	120 x 400 x 350 mm
avant 17	120 x 400 x 480 mm
folder	200 x 430 x 400 mm

EXO FOLDER model

Hotel and office safe with sliding drawer type opening. Hotel safe with large top opening, which offers convenient access for objects without damaging them.



general characteristics

EXO FOLDER has been designed to fit inside desks, shelves and bedside tables, for example, so that the quest can use it and access the interior comfortably. Folder is notable for its large top opening and the strength of its sliding guides, guaranteeing maximum comfort for the guest and minimum maintenance costs for the hotel.

optional accessories



Multi-zone socket

Multi-zone socket with USB



EXO AVANT & **EXO FOLDER**

Two models that complete the EXO series, expanding possibilities of singularity and usability.

The EXO system confers the highest technological level to these two models that adapt to all types of furniture.

OMNITEC, international partner for security and performance





OMNITEC Safes





The NOBO electronic safe is a multipurpose model that offers all the functions demanded by hotels and tourist accommodation.

POLYVALENCE

NOBO provides the services demanded most in hotels. Its standard version and optional add-ons meet the security and functionality requirements of most hotels.







general characteristics

A safe with a highly visible, white backlit screen and keyboard. Simple for guest management, it offers the owner different emergency opening and audit methods to help resolve possible incidents. NOBO has become an icon in versatility and comfort.

available dimensions

model	dimensions height x width x depth	
pad	200 x 360 x 270 mm	
laptop 15	200 x 430 x 350 mm	

standard features

- Electronic, motorised opening and closing
- Bolts with anti-lever protection
- Audit, of the last 400 events (opening + closing), with handheld unit
- Guest code from 3 to 6 digits
- Emergency opening via:
- Master code
- Mechanical key
- Handheld device
- Low consumption LED interior lighting
- ADA keyboard, acoustic and visual signals to facilitate operation for people with visual or hearing disabilities.
- Door with opening spring

specific project options





Opening by

Button

Convenience and safety for your guests

NOBO offers a balance between convenience and safety; both being highly valued by guests.

Options for rental, RFID or iButton opening and auditing, among others, make NOBO a polyvalent safe for guests and owners of hotels and tourist

OMNITEC, international partner for security and performance





optional accessories

- Multi-zone socket inside, option with USB
- Electrical power supply. Keeps batteries powered for use during power cuts

iButton'

iButton is an alternative emergency opening method to the traditional mechanical lock.

The iButton system is a more secure option, as it Additionally, the administrator can cancel and/or reprogramme the opening permissions for an iButton-equipped safe.

Safes with iButton are especially designed for large







Offering security to the guests does not have to involve a large investment. OMNITEC presents the Safeguard safe: secure, functional and economical.



A practical and simple safe, without sacrificing the necessary security standards in the hotel







general characteristics

A safe built of steel, with manual opening by code of 3 to 8 digits and mechanical knob. Manufactured in 4 sizes with front opening door, SAFEGUARD adapts to your needs with different available complements.

available dimensions

model	dimensions height x width x depth
pad	200 x 360 x 270 mm
laptop 15	200 x 430 x 350 mm
laptop 17	200 x 400 x 480 mm

standard features

- Opening and closing by code of 3 to 8 digits plus manual knob
- Emergency opening with:
 - Máster code
 - Mechanical key
- Acoustic and visual signals to facilitate operation for persons with visual or hearing disability
- Door with opening spring
- External battery power supply

specific project options

Change of dimensions



Functionality and security in their rooms

With the SAFEGUARD model you can guarantee the security of your guests' valuables without assuming large investments or undertaking complex installations. Simple in its management and its maintenance, Safeguard provides you with the basic features for a hotel safe.

OMNITEC, international partner for security and performance







optional accessories

- Rental activation lock
- Multizone socket and USB base in the interior
- Power supply, avoids the use of batteries and minimizes maintenance
- Braille on keypad



	EXO	AVANT	FOLDER	NOBO	SAFEGUARD
characteristics					
Carbon steel	YES	YES	YES	YES	YES
Steel thickness (mm) Body / Door	2 / 5	2 / 5	2 / 5	2 / 5	1,5 / 4
Display	6	6	6	6	Х
Inner led	YES	YES	YES	YES	Х
Inner carpet	YES	YES	YES	YES	YES
Alkaline battery (included)	4 AA	4 AA	4 AA	4 AA	4 AA
Fix	Base and Back	Base	Base	Base and Back	Base and Back
Colour	Black	Black	Black	Black	Black
Optional colour	RAL	RAL	RAL	RAL	RAL
Rubber muffler	YES	YES	YES	YES	YES
Left open	OP	Х	Х	OP	Х
Laser cut	OP	Х	Х	YES	OP
Steel bolts	YES	YES	YES	YES	YES
Concealed hinges	YES	YES	YES	YES	YES
Anticorrosive paint	YES	YES	YES	YES	YES
Opening spring	YES	YES	Х	YES	YES
BRAILLE keypad	Х	Х	Х	YES	OP

functions					
Closing	Motor	Motor	Motor	Motor	Solenoid + Manua
Opening	Code, RFID, BLE	Code, RFID, BLE	Code, RFID, BLE	Code	Code + Knob
PIN code	4 to 6	4 to 6	4 to 6	3 a 6	3 to 8
Card opening	RFID	RFID	RFID	OP	Х
Audit (opening + close)	Unlimited	Unlimited	Unlimited	400 events	Х
Emergency open key	YES	YES	YES	YES	YES
Emergency open master code	EXO BI-MASTER	EXO BI-MASTER	EXO BI-MASTER	YES	YES
Acoustic and visual signal	YES	YES	YES	YES	YES
Audit printer	APP	APP	APP	on PC	Х
Unit program handle	APP	APP	APP	YES	Х
Rental activation lock	OP	OP	OP	Х	OP
Rental activation code	Х	Х	Х	OP	Х
Emergency opening delay	Х	Х	Х	YES	Х
Multizone socket	OP	OP	OP	OP	OP
Power supply	OP	OP	OP	OP	OP
External battery power supply	Powerbank (Not included)	Powerbank (Not included)	Powerbank (Not included)	Handheld	YES
sizes (height x width x depth) mm					
	VEC	v	v	VEC	VEC

PAD (200 x 360 x 270)	YES	Х	Х	YES	YES
LAPTOP 15 (200 x 430 x 350)	YES	Х	Х	YES	YES
LAPTOP 17 (200 x 400 x 480)	YES	Х	Х	Х	YES
FOLDER (200 x 430 x 400)	YES	Х	YES	Х	Х
AVANT 15 (120 x 400 x 350)	YES	YES	Х	Х	Х
AVANT 17 (120 x 400 x 480)	YES	YES	Х	Х	Х
Change of dimensions	OP	OP	Х	OP	OP





Iberostar Santa Eulalia 4* Spain Barceló Torre de Madrid 4* Spain Radisson Blu Podil 4* Ukranie Fergus Style Palmanova 4* Spain Crown Paradise Vallarta 5* Mexico Hard Rock Kantenah 5* Mexico Finest Isla Mujeres 5* Spain Hard Rock Hotel Ibiza 5* Spain

(H

REFERENCES

Hilton Tanger 4* Morocco
The Grange Hotel 5* United Kingdom
Hôtel Faidherbe 3* France
Dream Hotel 4* Belgium
Hotel Dina Morgabine 3* Reunion
Hotel Africa Jade 4* Tunisia
Heston Hide Hotel 4* United Kingdom
Santa Catalina 5* Spain